

AdiIRC - \$statusbar - # 9

Added in 1.9.3

\$statusbar

Returns [\\$true](#) if [Statusbar](#) is visible, otherwise [\\$false](#).

Added in 1.9.7

\$statusbar(name|N)

Returns the [Statusbar](#) item matching name or the Nth item, if N = 0, number of Statusbar items.

See also [/statusbar](#).

Parameters

name|N - [Statusbar](#) item name or the Nth item.

Properties

- .name - Item name.
- .text - Item text.
- .icon - [\\$true](#) if the item has a icon, otherwise [\\$false](#).
- .visible - [\\$true](#) if the item is visible, otherwise [\\$false](#).
- .custom - [\\$true](#) if the item is custom, otherwise [\\$false](#).
- .tooltip - Item tooltip.
- .alias - Item alias.
- .popup - Item popup name.
- .x - Horizontal position of the [Statusbar](#) item relative to the main AdiIRC window.
- .y - Vertical position of the [Statusbar](#) item relative to the main AdiIRC window.
- .w - [Statusbar](#) item width.
- .h - [Statusbar](#) item height.
- .dx - Horizontal position of the [Statusbar](#) item relative to the desktop.
- .dy - Vertical position of the [Statusbar](#) item relative to the desktop.

Example

```
; Print number of Statusbar items.  
//echo -ag $statusbar(0)  
  
; Print the first Statusbar item name.  
//echo -ag $statusbar(1)
```