

## AdiIRC - Echox - # 25

Added in 1.9.3

`/echox [color] [-abcdefghiNlmnqrstNuvwNINSB] [color name] [window] %var`

Prints text in the specified window using the specified color (0 to 35).

Same as [/echo](#) but evaluates a variable instead of text and allows printing consecutive spaces.

See also [\\$msgx](#).

### Switches

Switch	Description
-a	Prints to the current active window.
-b	Apply beep options.
-c	Indicates [color name] is defined after the switches. (not [color])
-d	<b>TODO</b>
-e	Encloses the line in line separators.
-f	Apply flash options.
-g	Prevents the echo from being logged.
-h	<b>TODO</b>
-i<N>	Indents the wrapped line by N characters.
-l	Apply highlight options.
-m	This echo should be treated as a normal message.
-n	Prevents the echo from highlighting the window Treebar/Switchbar icon.
-q	Don't print if called from a alias using the . prefix.
-r	Apply strip colors/bold/italic/underline options.
-s	Prints to the status/server window associated with current window.
-t<N>	Apply timestamp prefix options. N is a optional UTC value to use for the timestamp.
-u	Indicates the first word is <b>not</b> a nick column prefix.
-v	Indicates the first word/token is a timestamp.
-w<N>	if N = 0, replaces emoticon tags in all token except the first one, N = 1, replaces only the first token, N = 2, replaces all tokens.
-l<N>	Inserts the line at position N in the buffer. <b>(AdiIRC only)</b>
-S	Used with --l<N> to force the buffer to scroll the number of wrapped lines of the inserted line. <b>(AdiIRC only)</b>
-R<N>	Replaces the line at position N in the buffer. <b>(AdiIRC only)</b>
-B	Indicates the [color] color is in <a href="#">\$rgb</a> format. <b>(AdiIRC only)</b>

### Parameters

Parameter	Description
[color]	A numeric color value to use as line color (0 to 37).
[color name]	Used with the -c switch. One of the following: Action, ctcp, highlight, info, info2, invite, join, part, quit, kick, mode, topic, nick, normal, notice, notify, other, own, wallops, whois.

[window]	The target window.
<text>	The text to print.

### Example

```
; Create a variable with the text a b.  
/var %var a $+ $chr(32) $+ $chr(32) $+ $chr(32) $+ $chr(32) b  
  
; Prints the variable to current active window.  
/echox -a %var
```