

## IRCv3

IRCv3 extensions are a set of optional features for IRC servers and clients proposed by the [IRCv3 Working Group](#)

AdiIRC supports some of them and will enable any of these prefixes automatically if they are supported by the server.

### Currently supported

[cap 3.1](#)

[multi-prefix](#)

[userhost-in-names](#)

[away-notify](#)

[extended-join](#)

[account-notify](#)

[server-time](#) (added in 1.9.7)

[znc.in/server-time-iso](#) (added in 1.9.7)

[znc.in/server-time](#) (added in 1.9.7)

[sasl 3.1](#) (added in 1.9.9) (PLAIN and EXTERNAL)

[tls](#) (added in 1.9.9)

[chghost](#) (added in 2.5)

[account-tag](#) (added in 2.8)

[invite-notify](#) (added in 2.8)

[echo-message](#) (added in 2.9 enable in [Options](#) -> [Server](#) -> [Use echo-message when available](#))

[Monitor](#) (added in 2.9)

[cap 3.2](#) (added in 3.0)

[cap-notify](#) (added in 3.0)

[sasl 3.2](#) (added in 3.0) (PLAIN, EXTERNAL, SCRAM-SHA-1, SCRAM-SHA-256, SCRAM was added in 3.4)

[batch](#) (added in 3.0)

[sts](#) (added in 3.4)

[message-tags](#) (added in 3.4)

[msgid](#) (added in 3.4)

[setname](#) (added in 3.9)

[labeled-response](#) (added in 3.9)

[UTF8ONLY](#) (added in 4.1)