

## Logging Options

See also [/log](#).

### Log Channels

When enabled, logs all channel windows.

### Log Privatechat

When enabled, logs all private windows.

### Log Servers

When enabled, logs all server windows.

### Log hidden events

When enabled, logs all events hidden by [Events Options](#).

### Make separate folder for each server

When enabled, will create a sub folder with the network name and save the logfile there.

### Strip mIRC tags

When enabled, Removes all [control codes](#) from the message before logging.

### Use Timestamp

When enabled, adds a timestamp with the specified Timeformat to the message before logging.

### Use server-time when available

If enabled, the logged line will be logged with the timestamp retrieved from the server when the [IRCv3 server-time](#) cap is used, otherwise the current localtime is used.

### Use line colors

When enabled, the line colors used for the message will be added to the log.

### Log Nickcolumn character

When enabled, the Nickcolumn character used to separate timestamp/nick from the message will be saved and correctly restored.

### Log link character

When enabled, the link character used to style links in a message will be saved and correctly restored.

### Log session start/close

When enabled, session start and close date will be logged to the logfile.

### Lock files

When enabled, all logfiles in use are locked until the associated window is closed.

## LogFolder

The Folder to save the log files.

## Timeformat

The time format to use when Use Timestamp is enabled.

Click the Show date/time variables link to see available variables, these variables ONLY work for the timestamp, not for the filename.

## FileName

The filename to use for logs,

Variables available:

\$network - The network name associated with the log window.

\$channel - The channel/query name associated with the log window.

\$date - Current date in the yyyyymmdd format.

\$mdate - Current date in the yyyyymm format.

*Date/time/other variables are not available to keep the filenames predictable for restore logs.*

## Rotated filename

The filename to use for logs when **Split log files at [X]** is enabled and the log is to be rotated,

Variables available:

\$network - The network name associated with the log window.

\$channel - The channel/query name associated with the log window.

\$date - Current date in the yyyyymmdd format.

\$count - A incremental number based on number of files with the same filename minus the \$count number.

*Date/time/other variables are not available to keep the filenames predictable for restore logs.*

## Restore last [X] messages in private windows

If enabled, the last [X] messages from the log files will be restored when a private window is opened.

## Restore last [X] messages in channel windows

If enabled, the last [X] messages from the log files will be restored when a channel window is opened.

## Separate logs

When enabled, save the logfiles in a subfolder based on the selected interval.

Daily = YYYY-MM-DD.

Weekly = YYYY-WW.

Monthly = YYYY-MM.

Yearly = YYYY.

## Trim logs at [X] kb

When enabled and a log file becomes bigger than [X] kilobytes, it will be trimmed to fit the specified size.

*Cannot be used with split log files.*

## Split log files at [X] kb

When enabled and a log file becomes bigger than [X] kilobytes, it will be renamed to **Rotated filename** and a new log created.

*Cannot be used with trim log files.*

## **Remove log files older than [x] days**

When enabled, all log files not modified since [x] days ago will be removed when AdilIRC exits.

## **Disable logging for channel/private windows**

Channels and users in this list will not be logged.

*Per server settings can be added using network:#channel syntax.*

*These windows ignores/overrides the "Log channels/servers/Log privatechat" option.*

*Can also be toggled by right-clicking the window in [Switchbar/Treebar](#) -> Logging.*

## **Always log channel/private windows**

Channels and users in this list will always be logged, regardless of the **Log Channels** and **Log Privatechat** options.

*Per server settings can be added using network:#channel syntax.*

*These windows ignores/overrides the "Log channels/servers/Log privatechat" option.*

*Can also be toggled by right-clicking the window in [Switchbar/Treebar](#) -> Logging.*

## **Log Events**

*If Log hidden events is enabled, these options are ignored.*

Default = Log event if logging is enabled for the channel.

On = Log event in channels even if logging for the channel is disabled.

Off = Never log event in channels even if logging for the channel is enabled.

## **Messages**

Log regular messages.

## **Joins**

Log when a user joins a channel.

## **Modes**

Log when a user changes channel modes.

## **Parts**

Log when a user leaves a channel.

## **Topics**

Log when a user changes a channel topic.

## **Quits**

Log when a user quits irc.

## **Ctcp**

Log when a user sends a ctcp request.

## **Kicks**

Log when a user is kicked from a channel.

## **Nicks**

Log when a user changes nick.